ELSEVIER

Volume 261 Numbers 1–2, 26 September 1997

Journal of
ALLOYS
AND COMPOUNDS

Contents

Letters

Subsolidus phase relations in the system $BaO–B_2O_3–P_2O_5$ L1
Y. Shi (Beijing, People's Republic of China), J. Liang (Beijing and Shenyang, People's Republic of China), J. Yang, W. Zhuang, G. Rao (Beijing, People's Republic of China)

Mixing enthalpies in liquid Co-Dy alloys L4
N.I. Usenko, M.I. Ivanov (Kiev, Ukraine)

Physics

Magnetization and neutron diffraction studies of the magnetic order in the compounds $Pr_2Co_{12}P_7$, $Nd_2Co_{12}P_7$, $Ho_2Co_{12}P_7$ and $Lu_2Co_{12}P_7$ 1
M. Reehuis (Grenoble, France and Berlin, Germany), B. Ouladdiaf (Grenoble, France), W. Jeitschko, T. Vomhof, B. Zimmer (Münster, Germany), E. Ressouche (Grenoble, France)

Study of the $CeSb_{1-x}Te_x$ solid solution by means of Sb^{3-} L_{III} edge X-ray absorption 12
D. Ravot (Meudon, and Montpellier, France), A. Percheron-Guegan (Meudon, France), J.M. Durand, J. Olivier-Fourcade, J.C. Jumas (Montpellier, France), P. Parent (Orsay, France)

Effect of interstitial hydrogen and nitrogen on the magnetocrystalline anisotropy of R_2Fe_{17} (R = Tb,Dy,Ho,Er) 15
S.A. Nikitina, E.A. Ovtchenkov, A.A. Salamova, A.Yu. Sokolov, V.N. Verbetsky (Moscow, Russia)

X-Ray single crystal refinements of TbMnGe, $Tb_3Mn_4Ge_4$ and $TbMn_5Ge_3$ compounds 19
G. Venturini, B. Malaman (Vandoeuvre les Nancy, France)

Comparative study of the ferro-antiferromagnetic transition in $Ce(Fe,Co)_2$ and $Ce(Fe,Al)_2$ 26
G.E. Fernández, M. Gómez Berisso, O. Trovarelli, J.G. Sereni (S.C. de Bariloche, Argentina)

Crystal growth of YbTX (T = Cu, Ag, Pt, Au; X = Sn, Sb) and the magnetic and transport properties 32
K. Katoh, T. Takabatake, A. Minami (Higashi-Hiroshima, Japan), I. Oguro (Tokyo, Japan), H. Sawa (Chiba, Japan)

Low temperature specific heat of $CePt_2$-derived compounds 37
G.-F. von Blanckenhagen, M. Lenkewitz (Augsburg, Germany), G.R. Stewart (Augsburg, Germany and Gainesville, FL, USA)

^{145}Nd NMR study of $Nd_xY_{2-x}Co_{17}$ and $Nd_xY_{2-x}Co_{14}B$ 42
Cz. Kapusta (Cracow, Poland and Fife, UK), P.C. Riedi (Fife, UK), W. Kocemba, G. Stoch (Cracow, Poland), G.J. Tomka (Fife, UK), H. Figiel (Cracow, Poland), K.H.J. Buschow (Amsterdam, The Netherlands)

X-Ray diffraction and ^{155}Gd-Mössbauer effect study of $GdMn_2H_x$ ($0 \leq x \leq 4.3$) 47
J. Żukrowski (Cracow, Poland), M. Strecker, G. Wortmann (Paderborn, Germany), J. Przewoźnik, K. Krop (Cracow, Poland)

Preparation, crystal structure and magnetic properties of the intermetallic compounds $Ln_{7+x}Re_{12}Al_{61+y}$ (Ln = Y, Gd–Er, Lu) . 54
V.M.T. Thiede, M.H. Gerdes, U.Ch. Rodewald, W. Jeitschko (Münster, Germany)

Chemistry

Investigations in the Ag-Mg and Ag-Al-Mg systems. I. Models for cubic approximants of icosahedral quasicrystals in the Ag-Al-Mg system 62
G. Kreiner, S. Spiekermann (Dortmund, Germany)

Elsevier Science S.A.

The crystal structure of λ-Al_4Mn 83
G. Kreiner (Dortmund, Germany), H.F. Franzen (Ames, IA, USA)

Kinetics and mechanism of carbothermic reduction of MoO_3 to Mo_2C 105
S. Chaudhury, S.K. Mukerjee, V.N. Vaidya, V. Venugopal (Mumbai, India)

X-Ray structure determination and superconductivity of a new layered misfit compound with a franckeite-like stacking, $[(Pb,Sb)S]_{2.28}NbS_2$ 114
A. Lafond (Nantes, France), A. Nader (Grenoble, France), Y. Moëlo, A. Meerschaut (Nantes, France), A. Briggs (Grenoble, France), S. Perrin (Nantes, France), P. Monceau (Grenoble, France), J. Rouxel (Nantes, France)

Time-of-flight neutron diffraction study on the cryolite type phases of Li_6NBr_3 123
R. Marx (Berlin, Germany), R.M. Ibberson (Oxon, UK)

Catalytic behavior of a series of lanthanide decatungstates [$Ln(III)W_{10}O_{36}^{9-}$; Ln: La–Yb] for H_2O_2-oxidations of alcohols and olefins. Some chemical effects of the $4f^n$-electron in the lanthanide(III) ion on the catalyses 132
R. Shiozaki, A. Inagaki, A. Ozaki, H. Kominami, S. Yamaguchi, J. Ichihara, Y. Kera (Osaka, Japan)

Crystal structure of neodymium(III)–diethylene glycol complex 140
H. Naruke, T. Yamase (Yokohama, Japan), H. Ohno (Tokyo, Japan)

Local structures and hydrogen dynamics in amorphous and nanostructured Mg-Ni-H systems as studied by ^1H and ^2H nuclear magnetic resonance 145
S. Hayashi (Ibaraki, Japan), S.-i. Orimo, H. Fujii (Hiroshima, Japan)

Bragg-Williams analysis applied to some phase diagrams involving $MnIII_2VI_4$ compounds 150
J.C. Woolley, R. Brun del Re (Ottawa, Canada)

The η-phase field of the Cu-In system 162
M. Elding-Pontén, L. Stenberg (Lund, Sweden), S. Lidin (Stockholm, Sweden)

Preparation of a novel Pt–RuO_2/Ti electrocatalyst by use of highly porous ruthenium oxide support prepared from RuO_2–La_2O_3/electrode 172
Y. Takasu, T. Arikawa, K. Yanase, X.-G. Zhang, Y. Murakami (Ueda, Japan)

Porous ruthenium oxide electrode prepared by adding lanthanum chloride to the coating solution 176
Y. Murakami, T. Kondo, Y. Shimoda, H. Kaji, X.-G. Zhang, Y. Takasu (Ueda, Japan)

Preparation of Perovskite-type $LaFe_xCo_{1-x}O_3$ by thermal decomposition of heteronuclear complex, $La[Fe_xCo_{1-x}(CN)_6] \cdot nH_2O$ for electroceramic applications 182
Y. Sadaoka (Matsuyama, Japan), E. Traversa, P. Nunziante (Rome, Italy), M. Sakamoto (Yamagata, Japan)

A study of the upper limit of borate substitution in $LnSr_2Cu_{3-x}B_xO_7$ materials 187
J.P. Chapman, W. Zhou, J.P. Attfield (Cambridge, UK)

Effects of vacancy ordering on structure and properties of vanadium carbide 192
V.N. Lipatnikov, W. Lengauer, P. Ettmayer (Vienna, Austria), E. Keil, G. Groboth, E. Kny (Seibersdorf, Austria)

Molar volume variation and ionic conduction in molten $SmCl_3$–NaCl, $SmCl_3$–KCl and $SmCl_3$–$CaCl_2$ systems 198
K. Fukushima, S. Koseki, K. Wakabayashi, S. Yamane, Y. Iwadate (Chiba, Japan)

Standard molar enthalpies of formation of alloys in the pseudobinary system $Zr(Al_xCo_{1-x})_2$ at the temperature 298.15 K . . . 204
R. Klein, P.A.G. O'Hare (Gaithersburg, MD, USA), I. Jacob (Beer Sheva, Israel)

Metallurgy

Soft X-ray measurements of the electronic states of various Mg–In phases 209
A. Kerr (Glasgow, UK), C.P. Cardoso (Liboa, Portugal), L.M. Watson, A. Szasz (Glasgow, UK)

Alloy phases formed in immiscible Cu–Mo and Cu–W systems by multilayer-technique 217
Y.G. Chen, B.X. Liu (Beijing, China)

SANS measurements of deuterium-dislocation trapping in deformed single crystal Pd 225
B.J. Heuser (Urbana, IL, USA), J.S. King (Ann Arbor, MI, USA)

Mechanical relaxation processes of hydrogen in dilute palladium–rare earth alloys 231
M. Ege, H. Kronmüller (Stuttgart, Germany)

Phase equilibria in the system Y–Ni–B–C 242
H. Szillat, P. Majewski, F. Aldinger (Stuttgart, Germany)

On the solubility of aluminium in the intermetallic compound $CoGa_3$ 250
H. Meyer, M. Ellner (Stuttgart, Germany)

Materials Science

Model on hydride formation describing surface control, diffusion control and transition regions 254
F. Schweppe, M. Martin, E. Fromm (Stuttgart, Germany)

Sorption and electrotransfer characteristics of hydrogen-gettering material in contact with a hydrogen plasma 259
Ye.V. Klochko, M.V. Lototsky, V.V. Popov, Yu.F. Shmal'ko, V.N. Borisko (Kharkov, Ukraine)

$CeMnAlH_x$, a new metal hydride 263
P. Spatz, K. Gross, A. Züttel (Fribourg, Switzerland), F. Fauth, P. Fischer (Villigen, Switzerland), L. Schlapbach (Fribourg, Switzerland)

The investigation of titanium hydride oxidation process 269
A.R. Gromov, N.N. Kouznetsova, S.L. Yudina, V.V. Lunin (Moscow, Russia)

In situ STM investigation of metal hydride electrodes in alkaline electrolyte during electrochemical cycles 273
D. Chartouni, A. Züttel, C. Nützenadel, L. Schlapbach (Fribourg, Switzerland)

Mg composites for hydrogen storage. The dependence of hydriding properties on composition 276
K.J. Gross, P. Spatz, A. Züttel, L. Schlapbach (Fribourg, Switzerland)

Application of electron cyclotron resonance chemical vapour deposition in the preparation of hydrogenated SiC films: a comparison of phosphorus and boron doping 281
S.F. Yoon, R. Ji (Singapore, Singapore)

Effects of substitution of other elements for nickel in mechanically alloyed $Mg_{50}Ni_{50}$ amorphous alloys used for nickel–metal hydride batteries 289
W. Liu, H. Wu (Shanghai, P.R. China), Y. Lei, Q. Wang, J. Wu (Hangzhou, P.R. China)

The effect of Ti, V and Cr impurities on the transport properties of liquid aluminium 295
J. Auchet (Metz, France), P. Terzieff (Wien, Austria)

Synthesis and structural characterization of gadolinium–calcium ferrites $Gd_{1-x}Ca_xFeO_{3-y}$ $(0 \leq x \leq 2/3)$ 299
J. Li, D. Song, T.M. Wang, Z. Su (Lanzhou, China)

Zinc coatings on $Sm_2Fe_{17}N_x$ powder by photoinduced chemical vapour deposition method 304
H. Izumi, K. Machida, M. Iguchi, A. Shiomi, G. Adachi (Osaka, Japan)

Phase transformation in a dental gold alloy for soldering 308
K. Hisatsune, A. Sakrana, K. Hamasaki, R. Hernandez (Nagasaki, Japan), J.P. Salonga (Manila, Philippines)

Book review 313

Author Index of Volume 261 315

Subject Index of Volume 261 317